



RS Rothbucher Systeme
83435 Bad Reichenhall / Deutschland

Date printed 12.11.2020, Revision 26.11.2019

Version 05. Supersedes version: 04

Page 1 / 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

RSMK-Fix

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Adhesive

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company

RS Rothbucher Systeme
Reichenhaller Straße 109 a
83435 Bad Reichenhall / Deutschland
Phone +49 (0) 8651-2749
Fax +49 (0) 8651-3090
Homepage www.meterriss.de
E-mail rs@meterriss.de

Address enquiries to

Technical information

rs@meterriss.de

Safety Data Sheet

sdb@chemiebuero.de

1.4 Emergency telephone number

Advisory body

+49 (0) 89-19240 (24h)

Company

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictograms

none

Signal word

none

Hazard statements

none

Precautionary statements

none

Special labelling

EUH210 Safety data sheet available on request.

UFI:

-

2.3 Other hazards

Other hazards

Further hazards were not determined with the current level of knowledge.



RS Rothbucher Systeme
83435 Bad Reichenhall / Deutschland

Date printed 12.11.2020, Revision 26.11.2019

Version 05. Supersedes version: 04

Page 2 / 10

SECTION 3: Composition / Information on ingredients

Product-type:

3.2 The product is a mixture.

Range [%]	Substance
1 - 5	Trimethoxyvinylsilane
	CAS: 2768-02-7, EINECS/ELINCS: 220-449-8, Reg-No.: 01-2119513215-52-XXXX
	GHS/CLP: Flam. Liq. 3: H226 - Acute Tox. 4: H332

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Take off contaminated clothing and wash before reuse.

Inhalation

Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact

In case of contact with skin wash off immediately with soap and water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Get medical advice.
Do not induce vomiting.
Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

All extinguishing media are suitable but method must take into account the surrounding area to minimize dispersion.

Extinguishing media that must not be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Use self-contained breathing apparatus.
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective clothing.
Ensure adequate ventilation.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.



RS Rothbucher Systeme
83435 Bad Reichenhall / Deutschland

Date printed 12.11.2020, Revision 26.11.2019

Version 05. Supersedes version: 04

Page 3 / 10

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous earth).
Take up mechanically.
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Wash hands before breaks and after work.
Use barrier skin cream.
Do not eat, drink or smoke when using this product.
Contaminated work clothing should not be allowed out of the workplace.
Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Prevent penetration into the ground.
Do not store together with oxidizing agents.
Protect from heat/overheating.
Keep in a well-ventilated place.
Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2



RS Rothbucher Systeme
83435 Bad Reichenhall / Deutschland

Date printed 12.11.2020, Revision 26.11.2019

Version 05. Supersedes version: 04

Page 4 / 10

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance
Titanium dioxide
CAS: 13463-67-7, EINECS/ELINCS: 236-675-5, Reg-No.: 01-2119489379-17-XXXX
Long-term exposure: 4 mg/m ³ , respirable; total inhalable: TWA=10 mg/m ³
Methanol
CAS: 67-56-1, EINECS/ELINCS: 200-659-6, EU-INDEX: 603-001-00-X
Long-term exposure: 200 ppm, 266 mg/m ³ , Sk
Short-term exposure (15-minute): 250 ppm, 333 mg/m ³

Ingredients with occupational exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES
Methanol
CAS: 67-56-1, EINECS/ELINCS: 200-659-6, EU-INDEX: 603-001-00-X
Eight hours: 200 ppm, 260 mg/m ³ , H

DNEL

Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
Industrial, dermal, Long-term - systemic effects: 3.9 mg/kg bw/d (AF= 44).
Industrial, inhalative, Long-term - systemic effects: 27.6 mg/m ³ (AF= 11).
general population, oral, Long-term - systemic effects: 0.3 mg/kg bw/d (AF= 192).
general population, dermal, Long-term - systemic effects: 7.8 mg/kg bw/d (AF= 64).
general population, inhalative, Long-term - systemic effects: 18.9 mg/m ³ (AF= 8).

PNEC

Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
sediment (seawater), 0.15 mg/kg dw.
sediment (freshwater), 1.5 mg/kg dw.
sewage treatment plants (STP), 6.6mg/L (AF= 10).
seawater, 0.04 mg/L (AF= 500).
soil, 0.06 mg/kg dw.
freshwater, 0.4 mg/L (AF= 50).



RS Rothbucher Systeme
83435 Bad Reichenhall / Deutschland

Date printed 12.11.2020, Revision 26.11.2019

Version 05. Supersedes version: 04

Page 5 / 10

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: > 0,4 mm/ Butyl rubber, >120 min (EN 374-1/-2/-3).
Skin protection	not applicable
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
Respiratory protection	Respiratory protection mask in the event of high concentrations.
Thermal hazards	not applicable
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	pasty
Color	various see product designation
Odor	characteristic
Odour threshold	not applicable
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	No information available.
Flash point [°C]	No information available.
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/ml]	1,4 - 1,6
Bulk density [kg/m³]	not applicable
Solubility in water	immiscible
Partition coefficient [n-octanol/water]	No information available.
Viscosity	> 20,5 mm²/s (40°C)
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Autoignition temperature [°C]	400
Decomposition temperature [°C]	not applicable

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Reactions with water.



RS Rothbucher Systeme
83435 Bad Reichenhall / Deutschland

Date printed 12.11.2020, Revision 26.11.2019

Version 05. Supersedes version: 04

Page 6 / 10

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

Sensitive to moisture.
Strong heating.

10.5 Incompatible materials

Strong basic compounds
strong acids

10.6 Hazardous decomposition products

Contact with moisture liberates Methanol.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product
ATE-mix, inhalation (vapour), > 20 mg/l/4h.
Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
LD50, dermal, Rabbit: 3259 mg/kg bw.
LD50, inhalative, Rat: 16,8 mg/l (4 h) (OECD TG 403).
LD50, oral, Rat: 7120 mg/kg (OECD TG 401).
NOAEL, inhalative, Rat: 0,058 mg/l (98 d).
NOAEL, oral, Rat: < 62,5 mg/kg (28 d) (OECD TG 422).

Serious eye damage/irritation	Toxicological data of complete product are not available. No classification. Calculation method
Skin corrosion/irritation	Toxicological data of complete product are not available. No classification. Calculation method
Respiratory or skin sensitisation	Toxicological data of complete product are not available. No classification. Calculation method
Specific target organ toxicity — single exposure	Toxicological data of complete product are not available. No classification. Calculation method
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	

Toxicological data of complete product are not available.
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.



RS Rothbucher Systeme
83435 Bad Reichenhall / Deutschland

Date printed 12.11.2020, Revision 26.11.2019

Version 05. Supersedes version: 04

Page 7 / 10

SECTION 12: Ecological information

12.1 Toxicity

Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
LC50, (96h), Oncorhynchus mykiss: 191 mg/l.
EC50, Pseudokirchneriella subcapitata: 210 mg/l (7 d) (US-EPA).
EC50, (48h), Daphnia magna: 168,7 mg/l (92/69/EWG C.2).
EC10, Pseudomonas putida: 1000 mg/l (5 h).

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not applicable
Biological degradability	not applicable

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required or not conducted.

12.6 Other adverse effects

The product is insoluble in water.
Ecological data of complete product are not available.
No classification on the basis of the calculation procedure of the preparation directive.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Coordinate disposal with the disposal contractor/authorities if necessary.

Waste no. (recommended)

080410

Contaminated packaging

Packaging that cannot be cleaned should be disposed of as for product.
Uncontaminated packaging may be taken for recycling.

Waste no. (recommended)

150102
150104



RS Rothbucher Systeme
83435 Bad Reichenhall / Deutschland

Date printed 12.11.2020, Revision 26.11.2019

Version 05. Supersedes version: 04

Page 8 / 10

SECTION 14: Transport information

14.1 UN number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable



RS Rothbucher Systeme
83435 Bad Reichenhall / Deutschland

Date printed 12.11.2020, Revision 26.11.2019

Version 05. Supersedes version: 04

Page 9 / 10

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions for people not applicable

- VOC (2010/75/CE) 0 %

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 03)

H332 Harmful if inhaled.
H226 Flammable liquid and vapour.



RS Rothbucher Systeme
83435 Bad Reichenhall / Deutschland

Date printed 12.11.2020, Revision 26.11.2019

Version 05. Supersedes version: 04

Page 10 / 10

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
ELINCS = European List of Notified Chemical Substances
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV®/TWA = Threshold limit value – time-weighted average
TLV®STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Customs Tariff	not determined
Classification procedure	
Modified position	none

Copyright: Chemiebüro®